




Shreeram
metafusion
Eng's Pvt. Ltd.



PRODUCT
CATALOGUE
2017

ISO 9001:2008 COMPANY

Shreeram metafusion Eng's Pvt. Ltd.



35 Years of concrete experience
"The Name You Can Trust"

State of the art Plant At Daman

With a comprehensive study about the need of a customer, related for material handling, we have created a widest array of crates catering to the specification of customers with proper technical know how & quality control. We have conjured the best grade material & design to maintain the quality standard in the market. We are well aware of the competitive market & our strongest USP is our wide product range. Regarding quality, it is needless to say that it is weatherproof & UV resistant with a brutal characteristic to withstand crudest of handling. The areas where our product could be most effective are industries like **Beverages, Dairy, Fruit & Vegetable, Bakery, Fisheries, Automotives, Electronics, Caterers, Garments, Soft Drinks, Cold Storages, FMCG, Retailing, Textile** and other industries where storage, stacking and nesting is required.

We have been consistently growing since 35 years in the plastic industry. Our products have a global presence with advance technology, we enthrall our clientele be meeting with their stupendous demand in time.

Latest Machines
Latest Moulds
Advance Technology

ISO
9001:2008
COMPANY



Recd. Plasticon Award For
Best Performing Enterprises.
Premier Plastic
Products Company
On High Growth Path.

Received 2nd best exporter award
for the year 2011-2012 from plexcouncil,
Department of commerce,
Government of India.





ABBR. USED FOR CRATES

CH : Close With Handle
 CC : Complete Closed
 SP : Side Perforated & Bottom Closed
 TP : Totally Perforated
 TPC : Totally Perforated With Cut
 FB : Flat Bottom
 FT : Flat Top

WH : With Handle
 RCR : Round Crate with Rope
 RCH : Round Crate with Handle
 RCC : Round Crate Closed without Handle
 LW : Low Weight
 HW : Heavy Weight
 MW : Medium Weight

1 Inch : 25.4 mm (All Dimensions Are Approximate Only)

INDEX

CRATE SERIES 300 - 200	Page No. 5
CRATE SERIES 400 - 300	Page No. 6
CRATE SERIES 500 - 325	Page No. 9
CRATE SERIES 600 - 400	Page No. 11
CRATE MINI JUMBO	Page No. 17
CRATE HEAVY DUTY JUMBO	Page No. 18
CRATE MAHA JUMBO	Page No. 19
CRATE SUPER JUMBO	Page No. 20
CRATE F & V PRODUCE	Page No. 21
CRATE DAIRY	Page No. 24
CRATE GENERAL	Page No. 25
CRATE BASKETS	Page No. 26
CRATE FPO STORAGE BINS	Page No. 27
IDEAL STORAGE & MATERIAL HANDLING EQUIPMENTS	Page No. 29
CRATE FABRICATED	Page No. 30
WASTE BINS & STORAGE BUCKETS	Page No. 32
PALLETS SERIES	Page No. 38
ICE BOX	Page No. 50

ARISTO
CRATES

CRATES





ITEM CODE : 32065 CC & FB
 DIMENSION : O.D. : 300 x 200 x 65 mm
 : I.D. : 265 x 165 x 60 mm
 CAPACITY : 2.00 ltrs



ITEM CODE : 32100 CC & FB
 DIMENSION : O.D. : 300 x 200 x 100 mm
 : I.D. : 265 x 165 x 95 mm
 CAPACITY : 4.00 ltrs



ITEM CODE : 32150 CC & FB
 DIMENSION : O.D. : 300 x 200 x 150 mm
 : I.D. : 265 x 165 x 145 mm
 CAPACITY : 6.00 ltrs



ITEM CODE : LID 3200
 DIMENSION : O.D. : 300 x 200 x 18 mm



ITEM CODE : 32200 CC & FB
 DIMENSION : O.D. : 300 x 200 x 200 mm
 : I.D. : 265 x 165 x 195 mm
 CAPACITY : 8.00 ltrs



ITEM CODE : 43065 CC & FB
 DIMENSION : O.D. : 400 x 300 x 065 mm
 : I.D. : 360 x 260 x 060 mm
 CAPACITY : 4.50 ltrs



ITEM CODE : 43080 CC & FB
 DIMENSION : O.D. : 400 x 300 x 080 mm
 : I.D. : 360 x 260 x 075 mm
 CAPACITY : 6.00 ltrs



ITEM CODE : 43090 CC & FB
 DIMENSION : O.D. : 400 x 300 x 090 mm
 : I.D. : 360 x 260 x 085 mm
 CAPACITY : 7.00 ltrs



ITEM CODE : 43100 CC & FB
 DIMENSION : O.D. : 400 x 300 x 100 mm
 : I.D. : 360 x 260 x 095 mm
 CAPACITY : 8.00 ltrs





ITEM CODE : 43120 CC & FB
 DIMENSION : O.D. : 400 x 300 x 120 mm
 : I.D. : 360 x 260 x 115 mm
 CAPACITY : 9.50 ltrs



ITEM CODE : 43150 CC & FB
 DIMENSION : O.D. : 400 x 300 x 150 mm
 : I.D. : 360 x 260 x 145 mm
 CAPACITY : 13.00 ltrs



ITEM CODE : 43175 CC & FB
 DIMENSION : O.D. : 400 x 300 x 175 mm
 : I.D. : 360 x 260 x 170 mm
 CAPACITY : 15.00 ltrs



ITEM CODE : 43220 CC & FB
 DIMENSION : O.D. : 400 x 300 x 220 mm
 : I.D. : 360 x 260 x 215 mm
 CAPACITY : 19.00 ltrs



ITEM CODE : 43240 CC
 DIMENSION : O.D. : 400 x 300 x 240 mm
 : I.D. : 360 x 260 x 235 mm
 CAPACITY : 21.00 ltrs



- ITEM CODE : 43275 CC & FB
- DIMENSION : O.D. : 400 x 300 x 275 mm
: I.D. : 360 x 260 x 270 mm
- CAPACITY : 24.00 ltrs



- ITEM CODE : LID 4300 CC
- DIMENSION : O.D. : 400 x 300 x 18 mm



- ITEM CODE : 43320 CC & FB
- DIMENSION : O.D. : 400 x 300 x 320 mm
: I.D. : 360 x 260 x 315 mm
- CAPACITY : 28.50 ltrs



- ITEM CODE : 53100 CH/CC & FB
- DIMENSION : O.D. : 500 x 325 x 100 mm
: I.D. : 468 x 292 x 92 mm
- CAPACITY : 12.00 ltrs

- ITEM CODE : 53150 CH/CC & FB
- DIMENSION : O.D. : 500 x 325 x 150 mm
: I.D. : 468 x 292 x 142 mm
- CAPACITY : 18.50 ltrs



- ITEM CODE : 53200 CH/CC & FB
- DIMENSION : O.D. : 500 x 325 x 200 mm
: I.D. : 468 x 292 x 192 mm
- CAPACITY : 24.50 ltrs

- ITEM CODE : 53200 SP
- DIMENSION : O.D. : 500 x 325 x 200 mm
: I.D. : 468 x 292 x 192 mm
- CAPACITY : 24.50 ltrs





ITEM CODE : 53250 CH/CC & FB
DIMENSION : O.D. : 500 x 325 x 250 mm
: I.D. : 468 x 292 x 242 mm
CAPACITY : 32.00 ltrs



ITEM CODE : LID 5300
DIMENSION : O.D. : 500 x 325 x 21 mm



ITEM CODE : 53360 CH/CC & FB
DIMENSION : O.D. : 500 x 325 x 360 mm
: I.D. : 468 x 292 x 352 mm
CAPACITY : 47.00 ltrs

ITEM CODE : LID 6400
 DIMENSION : O.D. : 600 x 400 x 24 mm



CC




SP



TP

ITEM CODE : 64080
 AVAILABLE IN CC, SP, TP, FB & W/o H.
 DIMENSION : O.D. : 600 x 400 x 80 mm
 I.D. : 565 x 365 x 75 mm
 CAPACITY : 13.50 ltrs



CH/CC

SP

TP

ITEM CODE : 64120
 AVAILABLE IN CH, CC, SP,
 TP, FB, W/H & W/o H.
 DIMENSION : O.D. : 600 x 400 x 120 mm
 I.D. : 565 x 365 x 113 mm
 CAPACITY : 23.00 ltrs



CH/CC



SP





TPC



TP

-  ITEM CODE : 64150
AVAILABLE IN CH, CC, SP, TP, TPC, FB, W/H & W/o H.
-  DIMENSION : O.D. : 600 x 400 x 150 mm
: I.D. : 565 x 365 x 143 mm
-  CAPACITY : 29.00 ltrs

-  ITEM CODE : 64160
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
-  DIMENSION : O.D. : 600 x 400 x 160 mm
: I.D. : 565 x 365 x 153 mm
-  CAPACITY : 31.00 ltrs



TP



SP



CH/CC






- ITEM CODE : 64180
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 180 mm
I.D. : 565 x 365 x 170 mm
- CAPACITY : 35.00 ltrs



- ITEM CODE : 64225
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 225 mm
I.D. : 565 x 365 x 215 mm
- CAPACITY : 44.00 ltrs





ITEM CODE : 64245
 AVAILABLE IN CH, CC, SP,
 TP, FB, W/H & W/o H.

DIMENSION : O.D. : 600 x 400 x 245 mm
 : I.D. : 565 x 365 x 235 mm

CAPACITY : 50.00 ltrs



ITEM CODE : 64285
 AVAILABLE IN CH, CC, SP,
 TP, FB, W/H & W/o H.

DIMENSION : O.D. : 600 x 400 x 285 mm
 : I.D. : 565 x 365 x 277 mm

CAPACITY : 54.50 ltrs



SP

TP

CH/CC

- ITEM CODE : 64325
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 325 mm
: I.D. : 565 x 365 x 315 mm
- CAPACITY : 61.50 ltrs



TP

SP

CH/CC

- ITEM CODE : 64375
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 375 mm
: I.D. : 565 x 365 x 365 mm
- CAPACITY : 73.50 ltrs



- ITEM CODE : 64425
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 425 mm
I.D. : 565 x 365 x 415 mm
- CAPACITY : 85.00 ltrs



- ITEM CODE : 64485
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 485 mm
I.D. : 565 x 365 x 475 mm
- CAPACITY : 100.00 ltrs



CRATE MINI JUMBO

- ITEM CODE : 6545210
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 650 x 450 x 210 mm
: I.D. : 610 x 410 x 195 mm
- CAPACITY : 48 ltrs



Suitable For Mini Jumbo, Jumbo & Maha Jumbo



- ITEM CODE : LID 65450
- DIMENSION : O.D. : 650 x 450 x 24 mm



- ITEM CODE : 6545315
AVAILABLE IN CH/CC & FB
- DIMENSION : O.D. : 650 x 450 x 315 mm
: I.D. : 610 x 410 x 305 mm
- CAPACITY : 71.00 ltrs



- ITEM CODE : 6545325
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 650 x 450 x 325 mm
: I.D. : 610 x 410 x 315 mm
- CAPACITY : 74.00 ltrs

SPECIALLY FOR
BREAD INDUSTRIES





TP



SP

ITEM CODE : 6545485
AVAILABLE IN CH, CC, SP,
TP, W/H & W/o H.

DIMENSION : O.D. : 650 x 450 x 485 mm
I.D. : 610 x 410 x 468 mm

CAPACITY : 116.00 ltrs




CH/CC

ITEM CODE : SUPER JUMBO LID

DIMENSION : O.D. : 809 x 570 x 20 mm



SP



TP



CH/CC



ITEM CODE : 857425
AVAILABLE IN CH, SP, TP,
DIMENSION : O.D. : 809 x 570 x 425 mm
I.D. : 760 x 538 x 405 mm
CAPACITY : 157.00 ltrs

Available With Wheels &
Without Wheels In All The 3 Options.



- ITEM CODE : 2715 TPC
- DIMENSION : O.D. : 400 x 325 x 150 mm
I.D. : 373 x 300 x 130 mm
- CAPACITY : 17.00 ltrs

- ITEM CODE : 53200 TP
- DIMENSION : O.D. : 500 x 325 x 200 mm
I.D. : 468 x 292 x 192 mm
- CAPACITY : 24.50 ltrs



- ITEM CODE : 2725
AVAILABLE IN TP & TPC
- DIMENSION : O.D. : 400 x 325 x 250 mm
I.D. : 365 x 290 x 245 mm
- CAPACITY : 26.00 / 22.00 ltrs resp.



- ITEM CODE : 2727
AVAILABLE IN TP & TPC
- DIMENSION : O.D. : 400 x 325 x 270 mm
I.D. : 365 x 290 x 265 mm
- CAPACITY : 28.00 / 24.00 ltrs resp.



ITEM CODE : 1976 - 3 TP (Heavy Duty)
: 1976 - 4 TP
DIMENSION : O.D. : 542 x 360 x 292 mm
: I.D. : 510 x 328 x 280 mm
CAPACITY : 40.00 ltrs
(Raised Bottom)

ITEM CODE : 1976 TP (Double Wall)
DIMENSION : O.D. : 542 x 360 x 292 mm
: I.D. : 510 x 328 x 280 mm
CAPACITY : 42.00 ltrs



ITEM CODE : 1976 - 1/2/11. TP
DIMENSION : O.D. : 542 x 360 x 292 mm
: I.D. : 510 x 328 x 280 mm
CAPACITY : 42.00 ltrs



ITEM CODE : 1978 TPC (BIG JALI)
DIMENSION : O.D. : 542 x 360 x 300 mm
: I.D. : 510 x 328 x 280 mm
CAPACITY : 42.00 ltrs



ITEM CODE : 2830
AVAILABLE IN TP, TPC
DIMENSION : O.D. : 542 x 360 x 305 mm
I.D. : 510 x 328 x 298 mm
CAPACITY : 50.00 ltrs

ITEM CODE : 53342
AVAILABLE IN TP, TP-S
DIMENSION : O.D. : 542 x 395 x 342 mm
I.D. : 510 x 363 x 328 mm
CAPACITY : 58.00 ltrs



ITEM CODE : 2980 TPC
DIMENSION : O.D. : 542 x 360 x 292 mm
I.D. : 510 x 328 x 288 mm
CAPACITY : 42.00 ltrs



ITEM CODE : 53305 - SP
DIMENSION : O.D. : 525 x 360 x 305 mm
I.D. : 490 x 330 x 300 mm
CAPACITY : 48.00 ltrs



STACKABLE



NESTABLE



- ITEM CODE : 5629174 (POUCH CRATE)
- DIMENSION : O.D. : 568 x 298 x 174 mm
: I.D. : 525 x 225 x 162 mm
- CAPACITY : 10.00 ltrs
(20 POUCHES OF 1/2 LTR OR
10 POUCHES OF 1 LTR)



- ITEM CODE : 4737163 A (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 163 mm
: I.D. : 427 x 335 x 148 mm
- CAPACITY : 12.00 ltrs
(12 POUCHES OF 1 LTR)



- ITEM CODE : 4737163 B (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 163 mm
: I.D. : 427 x 335 x 148 mm
- CAPACITY : 12.00 ltrs
(12 POUCHES OF 1 LTR)



- ITEM CODE : 4737168 B (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 168 MM
: I.D. : 427 x 335 x 155 MM
- CAPACITY : 12.00 ltrs
(2 POUCHES OF 1 LTR)



- ITEM CODE : 73070 TP (RIBBON FISH)
- DIMENSION : O.D. : 770 x 330 x 70 mm
: I.D. : 730 x 300 x 60 mm
- CAPACITY : 12.00 ltrs

- ITEM CODE : 53342 CH
- DIMENSION : O.D. : 542 x 395 x 342 mm
: I.D. : 510 x 363 x 328 mm
- CAPACITY : 58.00 ltrs



- ITEM CODE : 5436295
AVAILABLE IN CH & TP
- DIMENSION : O.D. : 542 x 360 x 295 mm
: I.D. : 510 x 327 x 290 mm
- CAPACITY : 45.00 ltrs





ITEM CODE : TOKRI 22 - RCR/RCC
DIMENSION : O.D. : 542 x 231 mm
: I.D. : 522 x 226 mm
CAPACITY : 33.00 ltrs

ITEM CODE : TOKRI 18 - RCR/RCC/RCH
DIMENSION : O.D. : 470 x 210 mm
: I.D. : 450 x 202 mm
CAPACITY : 23.00 ltrs





CRATE

ITEM CODE	DIMENSION
CRATE 5	16.5 x 11.4 x 7.8 CM
CRATE 15 - N	18.5 x 11.5 x 9 CM
CRATE 15	17 x 12 x 8.5 CM



CRATE

ITEM CODE	DIMENSION
CRATE 20	21.5 x 16 x 10.5 CM
CRATE 25	22.5 x 15 x 12.5 CM
CRATE 30	28 x 21 x 12 CM





CRATE

ITEM CODE	DIMENSION
CRATE 35	29.5 x 21 x 16 CM
CRATE 45	35 x 21.5 x 20 CM
CRATE 50	51.5 x 31 x 20 CM



CRATE

ITEM CODE	DIMENSION
CRATE 60	25 x 18 x 13 CM
CRATE 80	38 x 23 x 17 CM
CRATE 100	38 x 32 x 17 CM



AVAILABLE WITHOUT PARTITION



AVAILABLE WITH PARTITION





BINS STAND

BINS STAND AVAILABLE FOR

CRATE 15 N

CRATE 25

CRATE 35

CRATE 45

CRATE TROLLEY

Available Sizes

620 x 420 mm

670 x 470 mm

820 x 620 mm

CRATE TROLLEYS SUITABLE FOR:

High Quality epoxy coated floor,
Recommended only for indoor Application

- Load to rest above the castor Uniformly
- Fix type Front wheel & rear swivel wheel to steer
- Suitable for following crates
 - 600 x 400 Series
 - 650 x 450 Series
 - 500 x 325 Series
 - Jumbo Series
 - Maha Jumbo Series
 - Super Jumbo Series



TAILOR MADE PARTITIONS CAN BE MADE ACCORDING TO YOUR SPECIFICATION



TRANSPARENT & CONDUCTIVE CRATES AVAILABLE IN ANY MODEL ON DEMAND



SOFT LIDS

Used In Various Industries As Covers For Crates With Velcro Tapes Attached To Interlock.



XLPE HARD BLACK FOAM & PE SOFT WHITE FOAM

Available In Different Size & Thickness. Used In Crates For Precious & Delicate Components Like Glass, Electronic Components, Various Components In Automobile Industries.



220 X 63 mm



180 X 70 mm



148 X 52 mm



80 X 52 mm



55 X 35 mm



83 X 55 mm

CRATE ELBOW TO INCREASE HEIGHT & PARTITION



ACRYLIC CARD HOLDERS AVAILABLE IN DIFFERENT SIZES



CLOSED HANDLE WITH EXTRA GRIP (Inner & Outer)

CARD HOLDER & CRATE ACCESORIES



WHEEL WASTE BIN 120 LTR
WITH PEDAL

WHEEL WASTE BIN 240 LTR
WITH PEDAL

WHEEL WASTE BINS

ITEM CODE	CAPACITY
WHEEL WASTE BIN 50	50 LTR
WHEEL WASTE BIN 80	80 LTR
WHEEL WASTE BIN 120	120 LTR
WHEEL WASTE BIN 240	240 LTR
WHEEL WASTE BIN 360	360 LTR

BIN WITH PEDAL AVAILABLE IN 80, 120 & 240.

WHEEL WASTE
BIN 360 LTR



WHEEL WASTE
BIN 80 LTR



WHEEL WASTE
BIN 120 LTR




WHEEL WASTE
BIN 50 LTR



WHEEL WASTE
BIN 240 LTR

WHEEL WASTE BINS



All the dimensions, capacity & weight are approximate & only for reference. Subject to technical modification Container according to EN standards

MODEL	120	240
App Volume (Ltrs)	120	240
Article Weight (Kgs)	7.5	12.1
Useful Load (Kgs)	60	100
A Over all Height (mm)	980	1075
B Over all Width (mm)	490	580
C Over Depth (mm)	550	740
D Upper Edge (mm)	910	1000
E Wheel Dia (Ø) (mm)	200	200
F Wheel to Wheel Distance (mm)	470	570

ARISTO
CRATES



WHEEL WASTE BIN 1100

WHEEL WASTE BINS

WHEEL WASTE BINS

ITEM CODE	CAPACITY
WHEEL WASTE BIN 660	660 LTR
WHEEL WASTE BIN 1100	1100 LTR



WHEEL WASTE BIN 660



एक कदम स्वच्छता की ओर

Swachh Bharat Abhiyaan

EK KADAM SWACHHATA KI ORE




WASTE BIN WITH
DOME LID 110 LTR

WASTE BIN WITH
DOME LID 80 LTR

WASTE BIN WITH
DOME LID 60 LTR

WHEEL WASTE BIN WITH
DOME LID 120 LTR



All the dimensions, capacity & weight are approximate & only for reference. Subject to technical modification Container according to EN standards

WASTE BINS WITH DOME LID

MODEL	60	80	110
App Volume (Ltrs)	60	80	110
Useful Load (Kgs)	37	45	55
A Over all Height (mm)	900	900	940
B Over all Width (mm)	360	430	500
B Over Depth (mm)	360	430	500
D Upper Wdge (mm)	710	695	695
FxC Window Size (mm)	270 x 145	265 x 135	340 x 160

Available Colours





STORAGE BUCKETS WITH FLAT LIDS

ITEM CODE	CAPACITY	DIMENSION
STORAGE BUCKET 60	60 LTR	36 X 36 X 76 CM
STORAGE BUCKET 80	80 LTR	43 X 43 X 75 CM
STORAGE BUCKET 110	110 LTR	50 X 50 X 75 CM



STORAGE BUCKET 80 LTR



STORAGE BUCKET 110 LTR




STORAGE BUCKET 60 LTR

ARISTO

PALLETS SERIES

121008 CFT



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.




STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY AVAILABLE IN 121008, 121013, 121015 & 121016 SERIES.

ITEM CODE : 121008 CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 80 mm	MATERIAL	HDPE
STATIC LOAD	1500 kgs	4 WAY	✓
DYNAMIC LOAD	500 kgs	2 WAY	✗
RACKING LOAD	N. A.	METAL TUBE	✓





* TOP *



* BOTTOM *

NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121013 LW CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 130 mm	MATERIAL	HDPE
STATIC LOAD	2500 kgs	4 WAY	✓
DYNAMIC LOAD	600 kgs	2 WAY	✓
RACKING LOAD	N. A.	METAL TUBE	N. A.

121013 HW CFT.



STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY AVAILABLE IN 121008, 121013, 121015 & 121016 SERIES.

• BOTTOM •



NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

ITEM CODE : 121013 HW CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 130 mm	MATERIAL	HDPE
STATIC LOAD	3000 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	N. A.	METAL TUBE	✓



121015 CFT




STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY AVAILABLE IN 121008, 121013, 121015 & 121016 SERIES.

NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.


* BOTTOM *



ITEM CODE : 121015 CFT | 3 RUNNER PALLET

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4500 kgs	4 WAY	✓
DYNAMIC LOAD	1000 kgs	2 WAY	✓
RACKING LOAD	800 kgs	METAL TUBE	✓

121015 LW




- NOTE**
- Load Should Be Uniformly Distributed All Over The Surface.
 - Steel Reinforcement Is Must For Racking Load.
 - It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
 - Do Not Throw / Shoulder Drop Goods On Pallet.
 - Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121015 LW



DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	2500 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	N. A.	METAL TUBE	✓



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.




ITEM CODE :	121015 MW		
DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	 ✓
DYNAMIC LOAD	1000 kgs	2 WAY	 ✓
RACKING LOAD	600 kgs	METAL TUBE	✓



PALLETS SERIES

121015 FT



ITEM CODE : 121015 FT

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	500 kgs	METAL TUBE	✓


* BOTTOM *



* NOTE *

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

121016 LW



TOP

BOTTOM



NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121016 LW

DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	✓
DYNAMIC LOAD	1000-1200 kgs	2 WAY	✓
RACKING LOAD	700 kgs	METAL TUBE	✓

121016 MW



* TOP *



* BOTTOM *


NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121016 MW

	DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
	STATIC LOAD	5000 kgs	4 WAY	✓
	DYNAMIC LOAD	1000-1200 kgs	2 WAY	✓
	RACKING LOAD	800 kgs	METAL TUBE	✓



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

• BOTTOM •



ITEM CODE : 121016 HW

DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	6000 kgs	4 WAY	✓
DYNAMIC LOAD	1200-1400 kgs	2 WAY	✓
RACKING LOAD	1000 kgs	METAL TUBE	✓



STEEL REINFORCEMENT
AVAILABLE IN
150 & 160 SERIES ONLY.



STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY
AVAILABLE IN 121015 & 121016 SERIES.



121014 L



• TOP •

ITEM CODE : 121014 L

ITEM CODE : 121014 L BLUE

DIMENSION:	1200 x 1000 x 140mm	MATERIAL	HDPE
STATIC LOAD	1500 kgs	4 WAY	✓
DYNAMIC LOAD	600 kgs	4 WAY	✓
LEGS	9 legs	NESTABLE	✓
RACKING LOAD	N. A	METAL TUBE	N. A.

- NOTE**
- Load Should Be Uniformly Distributed All Over The Surface
 - Do Not Throw / Shoulder Drop Goods On Pallet
 - Perforated & Nestable Pallet
 - Specially Designed For Exports



• TOP •

ITEM CODE : 121014 L

DIMENSION:	1200 x 1000 x 140mm	MATERIAL	HDPE
STATIC LOAD	1200 kgs	4 WAY	✓
DYNAMIC LOAD	500 kgs	4 WAY	✓
LEGS	9 legs	NESTABLE	✓
RACKING LOAD	N. A	METAL TUBE	N. A.



. ICE BOX .

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 6	6 LTR.	27 x 21.4 x 19 CM
ICE BOX 14	14 LTR.	35 x 27.4 x 24 CM
ICE BOX 25	25 LTR.	38.5 x 37.5 x 30 CM



. ICE BOX WITH PLUG .

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 25 WITH PLUG	25 LTR.	38.5 x 37.5 x 30 CM



. ICE BOX .

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 50	50 LTR.	62.5 x 36 x 35.5 CM
ICE BOX 60	60 LTR.	64 x 37.5 x 39 CM



ICE BOX WITH VENT LID & PLUG

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 50 WITH VENT LID & PLUG	50 LTR.	62.5 x 36 x 35.5 CM
ICE BOX 60 WITH VENT LID & PLUG	60 LTR.	64 x 37.5 x 39 CM

ICE BOX

WITH WHEEL, VENT LID, PLUG & LONG HANDLE

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 60 WITH LONG HANDLE	60 LTR.	64 x 37.5 x 39 CM



ICE BOX WITH ROPE & WHEEL

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 60 WITH ROPE & WHEEL	60 LTR.	64 x 37.5 x 39 CM



110 LTR.



ICE BOX WITH WHEEL & VENT LID

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 110 WITH WHEEL & VENT LID	110 LTR.	73 x 47 x 48 CM



110 LTR.



ICE BOX WITH VENT LID & PLUG

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 110 WITH VENT LID & PLUG	110 LTR.	73 x 47 x 48 CM



CABINETS



MULTI PURPOSE
DRAWERS



MULTI PURPOSE
RACKS



DINNER SET



DUAL COLOUR
PRODUCTS



CONTAINERS



SHOPPING
BASKETS



BASKETS



JUG & SERVING
TRAY



COFFEE MUGS



SPRAYERS



SCHOOL ITEMS



MISCELLANEOUS
ITEMS



BATH MATES



PLANTER



CLEANING
PRODUCTS



BATH TUB, DRUMS, LAUNDRY
BASKET & STORAGE BUCKET



SWING BINS &
WASTE BINS

AUTHORISED STOCKIST

Shreeram

metafusion

Eng's Pvt. Ltd.

Shop-1, Gagangiri, Sector 17,
Vashi, Navi Mumbai, Maharashtra,
INDIA 400703.

Tel: 27891522 / 2789 1549 /

FAX 6791 0552

Email: metafusion@vsnl.net

enquiry@shreeram-metafusion.com

FOR MORE DETAILS VISIT OUR SITE WWW.PLASTICCRADES.IN



ARISTOPLAST PRODUCTS PVT. LTD.

Regd. Office: 129, Mittal Estate, Sanjay Bldg. No. 6,
Andheri Kurla Road, Andheri (East), Mumbai-400 059, India.

Tel.: 91-22-2850 6721, 2856 2924/2850 3200

E-mail: salescrates@aristoplast.com

Web: www.aristoplast.com

www.plasticcrates.in